

Australian Journal of Agricultural Research

Index to Volume 51

- Abbott DC, Burdon JJ, Brown AHD, Read BJ, Bittisnich D The incidence of barley scald in cultivar mixtures. 355
- Abdin MZ See Ahmad A *et al.* 1023
- Adams NR, Liu SM, Briegel JR, Greeff JC Protein metabolism in skin and muscle of sheep selected for or against staple strength. 541
- Adhikari KN, McIntosh RA, Oates D Distribution and temperature sensitivities of genes for stem rust resistance in Australian oat cultivars and selected germplasm. 75
- Adkins SW See Yeates SJ *et al.* 637, 649
- Ahmad A, Khan I, Abdin MZ Effect of sulphur fertilization on oil accumulation, acetyl-CoA concentration and acetyl-CoA carboxylase activity in the developing seeds of rapeseed (*Brassica campestris* L.) 1023
- Aitken EAB See Gerlach KS *et al.* 945
- Allen JG See Mullan BP *et al.* 547
- Allingham PG See Hunter RA *et al.* 133
- Angus JF See Smith CJ *et al.* 867
- Angus JF, Gault RR, Good AJ, Hart AB, Jones TD, Peoples MB Lucerne removal before a cropping phase. 877
- Aparicio N See Villegas D *et al.* 891
- Appels R See Murphy NE *et al.* 679
- Araus JL See Villegas D *et al.* 891
- Archer JA See Arthur PF *et al.* 147
- Arthur PF, Archer JA, Melville G Factors influencing dystocia and prediction of dystocia in Angus heifers selected for yearling growth rate. 147
- Asher CJ See Ila'ava VP *et al.* 23, 29, 1031
- Ayre LM See Dear BS *et al.* 267
- Ayres JF See Lane LA *et al.* 985
- Ayres JF, McPhee MJ, Turner AD, Curll ML The grazing value of tall fescue (*Festuca arundinacea*) and phalaris (*Phalaris aquatica*) for sheep production in the northern tablelands of New South Wales. 57
- Azria D, Bhalla PL Plant regeneration from mature embryo derived callus of Australian rice (*Oryza sativa* L.) varieties. 305
- Badran TW See Sillence MN *et al.* 401
- Balcells J See Barrios Urdaneta A *et al.* 393
- Balnave D, Gill RJ, Li X, Bryden W L Responses of IsaBrown laying hens to a pre-layer diet containing additional calcium and to dietary protein and lysine concentrations during lay. 779
- Barbetti MJ See You MP *et al.* 435
- Barclay I See Sivapalan S *et al.* 903
- Barnes JE See Walker SR *et al.* 587
- Barr AR See Jefferies SP *et al.* 955
- Barrios Urdaneta A, Fondevila M, Balcells J, Dapoza C, Castrillo C *In vitro* microbial digestion of straw cell wall polysaccharides in response to supplementation with different sources of carbohydrates. 393
- Barry TN See Luque A *et al.* 385
- Barutcular C See Koc M *et al.* 665
- Bell AW See Dunshea FR *et al.* 139
- Bell KJ See Woodgate RG *et al.* 523
- Benavides MV, Maher AP Quantitative genetic studies on wool yellowing in Corriedale sheep. II. Clean wool colour and wool production traits: genetic parameter estimates and economic returns. 191
- Bentley S See Gerlach KS *et al.* 945
- Bhalla PL See Azria D *et al.* 305
- Birtles MJ See Miller FM *et al.* 793
- Bittisnich D See Abbott DC *et al.* 355
- Blair GJ See Villegas-Pangga G *et al.* 563
- Blair HT See Miller FM *et al.* 793
- Blamey FPC See Ila'ava VP *et al.* 23, 29, 1031
- Blaney BJ, Kopinski JS, Magee MH, McKenzie RA, Blight GW, Maryam R, Downing JA Blood prolactin depression in growing pigs fed sorghum ergot (*Claviceps arficana*) 785
- Blight GW See Blaney BJ *et al.* 785
- Boyd WJR See Jalal Kamali MR *et al.* 487
- Briegel JR See Adams NR *et al.* 541
- Brooker JD See Cheong JPE *et al.* 119
- Brown AHD See Abbott DC *et al.* 355
- Bryden WL See Balnave D *et al.* 779
- Burdon JJ See Abbott DC *et al.* 355
- Burrow HM, Corbet NJ Genetic and environmental factors affecting temperament of zebu and zebu-derived beef cattle grazed at pasture in the tropics. 155
- Butler DG See Chapman SC *et al.* 197, 209, 223. See Redden RJ *et al.* 607. See DeLacy I *et al.* 619
- Butler DG, Redden RJ, DeLacy I, Usher T Analysis of line \times environment interactions for yield in navy beans. I. Components of variance. 597
- Cameron KC See Cookson WR *et al.* 287
- Campbell RG See Dunshea FR *et al.* 531
- Carberry PS See Robertson MJ *et al.* 1
- Carter JO See Hall WB *et al.* 163
- Castrillo C See Barrios Urdaneta A *et al.* 393. See de Vega A *et al.* 801
- Cayley JWD See McCaskill M *et al.* 737
- Chakraborty S See Wilson PA *et al.* 107
- Chandler KD See Dunshea FR *et al.* 139
- Chapman HM See Woodgate RG *et al.* 523
- Chapman R See Ellery AJ *et al.* 849
- Chapman R, Ridsdill-Smith TJ, Turner NC Water stress and redlegged earth mites affect the early growth of seedlings in a subterranean clover/capeweed pasture community. 361
- Chapman SC, Cooper M, Butler DG, Henzell R Genotype by environment interactions affecting grain sorgham. I. Characteristics that confound interpretation of hybrid yield. 197
- Chapman SC, Hammer GL, Butler DG, Cooper M Genotype by environment interactions affecting grain sorgham. II. Frequencies of different seasonal patterns of drought stress are related to location effects on hybrid yields. 209. III. Temporal sequences and spatial patterns in the target population of environments. 223
- Cheong JPE, Brooker JD Isolation of a virulent bacteriophage from a propionibacterium species in the sheep rumen. 119
- Churchett JD See Walker SR *et al.* 587
- Ciavarella TA, Dove H, Leury BJ, Simpson RJ Diet selection by sheep grazing *Phalaris aquatica* L. pastures of differing water-soluble carbohydrate content. 757
- Ciavarella TA, Simpson RJ, Dove H, Leury BJ, Sims I M Diurnal changes in the concentration of water-soluble carbohydrates in *Phalaris aquatica* L. pasture in spring, and the effect of short-term shading. 749
- Cocks PS See Dear BS *et al.* 267
- Collyer BS See Sutherst RW *et al.* 467
- Connor DJ See McCallum M *et al.* 13
- Cookson WR, Rowarth JS, Cameron KC The fate of residual nitrogen fertiliser applied to a ryegrass (*Lolium perenne* L.) seed crop. 287
- Cooper M See Chapman SC *et al.* 197, 223, 209

- Corbet NJ See Ewurrow HM *et al.* 155
 Coutts BA See McKirdy SJ *et al.* 325
 Coutts BA, Jones RAC Viruses infecting canola (*Bassica napus*): incidence, distribution, spread and wild radish (*Raphanus raphanistrum*) infection reservoir 925
 Cranwell PD See Dunshea FR *et al.* 531
 Cunningham PJ See Reed KFM *et al.* 569
 Curll ML See Ayres JF *et al.* 57
- Dapoza C See Barrios Urdaneta A *et al.* 393
 Davidson JA, Ramsey MD Pea yield decline syndrome in South Australia: the role of diseases and the impact of agronomic practices. 347
 Davies CL, Turner DW, Dracup MN Yellow lupin (*Lupinus luteus*) tolerates waterlogging better than narrow-leaved lupin (*L. angustifolius*) I. Shoot and root growth in a controlled environment. 701. II. Leaf gas exchange, plant water status and nitrogen accumulation. 711. III. Comparison under field conditions. 721.
 Davies CL, Turner DW, Munns RE, Dracup MN Yellow lupin (*Lupinus luteus*) tolerates waterlogging better than narrow-leaved lupin (*L. angustifolius*) IV. Root genotype is more important than shoot genotype. 729
 Davies SL, Turner NC, Palta JA, Siddique KHM, Plummer JA Remobilisation of carbon and nitrogen supports seed filling in chickpea subjected to water deficit. 855
 Dear BS, Cocks PS, Swan AD, Wolfe EC, Ayre LM Effect of phalaris (*Phalaris aquatica* L.) and lucerne (*Medicago sativa* L.) density on seed yield and regeneration of subterranean clover (*Trifolium subterraneum* L.). 267
 DeLacy I See Butler DG *et al.* 597. See Redden RJ *et al.* 607
 DeLacy I, Redden RJ, Butler DG, Usher T Analysis of line \times environment interactions for yield in navy beans. 3. Pattern analysis of environments over years. 619
 Dicks P See Villar D *et al.* 407
 Dixon RM, Egan AR Response of lambs fed low quality roughage to supplements based on urea, cereal grain, or protein meals. 811
 Dove H See Ciavarella TA *et al.* 757, 749
 Dove H, Freer M, Foot JZ The nutrition of grazing ewes during pregnancy and lactation: a comparison of alkane-based and chromium/*in vitro*-based estimates of herbage intake. 765
 Downing JA See Blaney BJ *et al.* 785
 Dracup MN See Davies CL *et al.* 701, 711, 721, 729
 Dracup MN, Galwey NW, Thomson BD Restricted branching narrow-leaved lupin I. Population density 999
 Dracup MN, Thomson BD Restricted branching narrow-leaved lupin 2. Cross-pollination. 1011
 D'Souza DN, Warner RD, Leury BJ, Dunshea FR The influence of dietary magnesium supplement type, supplementation dose, and duration on pork quality and the incidence of PSE pork. 185
 Dunin FX See Smith CJ *et al.* 867
 Dunshea FR See D'Souza DN *et al.* 185
 Dunshea FR, Kerton DK, Cranwell PD, Campbell RG, Mullan BP, King RH, Pluske JR Dietary lysine requirements of heavy and light pigs weaned at 14 days of age. 531
 Dunshea FR, Trigg TE, Chandler KD, Bell AW Relationships between *in vivo* and *in vitro* lipid metabolism in lactating goats. 139
- Eagles HA See Panozzo JF *et al.* 629
 Eastham J, Gregory PJ Deriving empirical models of evaporation from soil beneath crops in a Mediterranean climate using microlysimetry 1017
 Edwards J, Taylor PA, Parbery DG, Halloran GM Peppermint rust in Victoria: the incidence—severity relationship and its implication for the development of an action threshold. 91
 Egan AR See Dixon RM *et al.* 811
- Ellery AJ, Chapman R Embryo and seed coat factors produce seed dormancy in capeweed (*Arctotheca calendula*). 849
- Fondevila M See Barrios Urdaneta A *et al.* 393
 Foot JZ See Dove H *et al.* 765
 Fortune JA See Ru YJ *et al.* 0
 Freer M See Dove H *et al.* 765
 Fulkerson WJ See Slack K *et al.* 555
- Galwey NW See Dracup MN *et al.* 0
 Gasa J See de Vega A *et al.* 801
 Gault RR See Angus JF *et al.* 877
 Gawler FJ See Jahufer MZZ *et al.* 657
 Genc Y, McDonald GK, Graham RD Effect of seed zinc content on early growth of barley (*Hordeum vulgare* L.) under low and adequate soil zinc supply. 37
 Gerlach KS, Bentley S, Moore NY, Pegg KG, Aitken EAB Characterisation of Australian isolates of *Fusarium oxysporum* f. sp. *cubense* by DNA fingerprinting analysis. 945
 Gibberd MR, Turner NC, Loveys BR High vapour pressure deficit results in a rapid decline of leaf water potential and photosynthesis of carrots grown on free-draining, sandy soils. 839
 Gill HS See Miller FM *et al.* 793
 Gill RJ See Balnave D *et al.* 779
 Godwin ID See Lambrides CJ *et al.* 415
 Good AJ See Angus JF *et al.* 877
 Graham RD See Genc Y *et al.* 37
 Greeff JC See Adams NR *et al.* 541
 Gregory PJ See Eastham J *et al.* 1017
 Guada JA See de Vega A *et al.* 801
- Haig T See Wu H *et al.* 259, 937
 Hall WB, Rickert KG, McKeon GM, Carter JO Simulation studies of nitrogen concentration in the diet of sheep grazing Mitchell and mulga grasslands in western Queensland. 163
 Halloran GM See Edwards J *et al.* 91
 Hammer GL See Chapman SC *et al.* 209, 223
 Hare RA See Munns RE *et al.* 69
 Harris DJ See Mullan BP *et al.* 547
 Harris HC See Zhang H *et al.* 295
 Hart AB See Angus JF *et al.* 877
 Henry DA, Simpson RJ, Macmillan RH Seasonal changes and the effect of temperature and leaf moisture content on intrinsic shear strength of leaves of pasture grasses. 823
 Henzell R See Chapman SC *et al.* 197. See Wang E *et al.* 313, 457
 Herring MR, O'Brien L A regional adaptation analysis of oats in New South Wales and southern Queensland for grain yield and dry matter production. 961
 Hetherington SE See Sukhivibul N *et al.* 503
 Hocking PJ, McLaughlin MJ Genotypic variation in cadmium accumulation by linseed, and comparison with seeds of some other grains. 427
 Hollamby GJ See Sivapalan S *et al.* 903
 Howe GN See Kirkegaard JA *et al.* 445
 Hunt C See Jefferies SP *et al.* 955
 Hunter RA, Magner T, Allingham PG Sustained growth promotion, carcass characteristics and meat quality of steers treated with oestradiol-17 β . 133
- Ila'ava VP, Blamey FPC, Asher CJ Response of sweet potato cultivars to acid soil infertility factors. I Effects of solution pH on early growth. 23. II Effects of calcium supply and soluble aluminium on early growth. 29.

- Ila'ava VP, Blamey FPC, Asher CJ Effects of lime and gypsum on growth of sweet potato in two strongly acid soils. 1031
- Imrie BC See Lambrides CJ *et al.* 85, 415
- Jahufer MZZ, Gawler FI Genotypic variation for seed yield components in white clover (*Trifolium repens* L.) 657
- Jalal Kamali MR, Boyd WJR Quantifying the growth and development of commercial barley cultivars over two contrasting growing seasons in Western Australia. 487
- James RA See Munns RE *et al.* 69
- Jefferies SP, Barr AR, Hunt C, Wheeler RD Agronomic and breeding value of genes for resistance to leaf scald (*Rhynchosporium secalis*) in barley (*Hordeum vulgare*). 955
- Johnstone GR See Reed KFM *et al.* 569
- Jones MGK See Murphy NE *et al.* 679
- Jones RAC See Coutts BA *et al.* 925. See McKirdy SJ *et al.* 325
- Jones TD See Angus JF *et al.* 877
- Kearney GA See Smith KF *et al.* 481. See Reed KFM *et al.* 569
- Kechagia UE See Xanthopoulos FP *et al.* 979
- Kelly KB See Lawson AR *et al.* 1039
- Kemp PD See Luque A *et al.* 385
- Kerton DK See Dunshea FR *et al.* 531
- Khan I See Ahmad A *et al.* 1023
- King RH See Dunshea FR *et al.* 531
- Kirkegaard JA, Sarwar M, Wong PTW, Mead A, Howe GN, Newell M Field studies on the biofumigation of take-all by *Brassica* break crops. 445
- Koc M, Barutcular C, Zencirci N Grain protein and grain yield of durum wheats from south-eastern Anatolia, Turkey 665
- Kopinski JS See Blaney BJ *et al.* 785
- Kyei NA See Ryley MJ *et al.* 917
- Lagudah ES See Murphy NE *et al.* 679
- Lambrides CJ, Imrie BC Susceptibility of mungbean varieties to the bruchid species *Callosobruchus maculatus*, *C. phaseoli*, *C. chinensis*, and *Acanthoscelides obtectus* (Coleoptera: Chrysomelidae). 85
- Lambrides CJ, Lawn RJ, Godwin ID, Manners JM, Imrie BC Two genetic linkage maps of mungbean using RFLP and RAPD markers. 415
- Lane LA, Ayres JF, Lovett JV, Murison RD Morphological characteristics and agronomic merit of white clover (*Trifolium repens* L.) ecotypes collected from northern New South Wales, Australia 985
- Latham LJ See McKirdy SJ *et al.* 325
- Lawn RJ See Yeates SJ *et al.* 637, 649. See Lambrides CJ *et al.* 415
- Lawson AR, Kelly KB, Sale PWG Defoliation frequency and cultivar effects on the storage and utilisation of stolon and root reserves in white clover 1039
- Lefroy RDB See Villegas-Pangga G *et al.* 563
- Leggett GW See Pethybridge SJ *et al.* 685
- Lemerle D See Wu H *et al.* 259, 937
- Leonforte A See Reed KFM *et al.* 569
- Leury BJ See Ciavarella TA *et al.* 757, 749. See D'Souza DN *et al.* 185
- Li X See Balnave D *et al.* 779
- Liu A, Ridsdill-Smith TJ, Nicholas DC Effect of seedling damage by redlegged earth mite, *Halotydeus destructor*, on subsequent growth and development of yellow lupin, *Lupinus luteus*, in the glasshouse. 113
- Liu SM See Adams NR *et al.* 541
- Lodge GM Competition among seedlings of perennial grasses, subterranean clover, white clover and annual ryegrass in replacement series mixtures. 377
- Loughman R See Murphy NE *et al.* 679
- Lovett JV See Lane LA *et al.* 985
- Loveys BR See Gibberd MR *et al.* 839
- Lu MQ, O'Brien L, Stuart IM Barley malting quality and yield interrelationships and the effect on yield distribution of selection for malting quality in the early generations. 247
- Lucy M See Robertson MJ *et al.* 1
- Ludwig C See Palta JA *et al.* 279
- Luque A, Barry TN, McNabb WC, Kemp PD, McDonald MF The effect of grazing *L. corniculatus* during late summer-autumn on reproductive efficiency and wool production in ewes. 385
- Luxford BG See Nguyen NH *et al.* 833
- Macmillan RH See Henry DA *et al.* 823
- Magee MH See Blaney BJ *et al.* 785
- Magner T See Hunter RA *et al.* 133
- Maher AP See Benavides MV *et al.* 191
- Manners JM See Lambrides CJ *et al.* 415
- Marchese M See Mauromicale G *et al.* 579
- Martin PJ See Sivapalan S *et al.* 903
- Maryam R See Blaney BJ *et al.* 785
- Matthews ML See Silience MN *et al.* 401
- Mauromicale G, Restuccia G, Marchese M Germination response and viability of *Orobancha crenata* Forsk. seeds subjected to temperature treatment 579
- McCallum M, Peoples MB, Connor DJ Contributions of nitrogen by field pea (*Pisum sativum* L.) in a continuous cropping sequence compared with a lucerne (*Medicago sativa* L.)-based pasture ley in the Victorian Wimmera. 13
- McCaskey M, Cayley JWD Soil audit of a long-term phosphate experiment in south-western Victoria: total P, S, N, and major cations. 737
- McCosker M See Walker SR *et al.* 587
- McDonald GK See Genc Y *et al.* 37
- McDonald MF See Luque A *et al.* 385
- McIntosh RA See Adhikari KN *et al.* 75
- McKenzie RA See Blaney BJ *et al.* 785
- McKeon GM See Hall WB *et al.* 163
- McKirdy SJ, Jones RAC, Latham LJ, Coutts BA Bean yellow mosaic potyvirus infection of alternative annual pasture, forage and cool season crop legumes: susceptibility, sensitivity, and seed transmission 325
- McLaughlin MJ See Hocking PJ *et al.* 427
- McMillen SR See Villar D *et al.* 407
- McNabb WC See Luque A *et al.* 385
- McPhee CP See Nguyen NH *et al.* 833
- McPhee MJ See Ayres JF *et al.* 57
- Mead A See Kirkegaard JA *et al.* 445
- Meinke H See Wang E *et al.* 313, 457
- Melville G See Arthur P F *et al.* 147
- Miller FM, Blair HT, Birtles MJ, Reynolds GW, Gill HS, Revell DK Cysteine may play a role in the immune response to internal parasites in sheep. 793
- Moore NY See Gerlach KS *et al.* 945
- Moran C See Shariflou MR *et al.* 515
- Morgan JM Increases in grain yield of wheat by breeding for an osmoregulation gene. Relationship to water supply and evaporative demand. 971
- Mullan BP See Dunshea FR *et al.* 531
- Mullan BP, Pluske JR, Allen JG, Harris DJ Evaluation of Western Australian canola meal for growing pigs. 547
- Munns RE See Davies CL *et al.* 729
- Munns RE, Hare RA, James RA, Rebetzke GJ Genetic variation for improving the salt tolerance of durum wheat. 69
- Munro D See Pethybridge SJ *et al.* 685

- Murison RD See Lane LA *et al.* 985
- Murphy NE, Loughman R, Appels R, Lagudah ES, Jones MGK Genetic variability in a collection of *Stagonospora nodorum* isolates from Western Australian 679
- Nachit MM See Villegas D *et al.* 891
- Nakamura H The association between high molecular weight glutenin subunit compositions and the bread-making quality of Chinese and Japanese hexaploid wheats. 371. The high-molecular-weight glutenin subunit composition of Japanese hexaploid wheat landraces. 673
- Newell M See Kirkegaard JA *et al.* 445
- Nguyen NH, McPhee CP, Wade CM, Luxford BG Genetic parameters and predicted response to selection for lean growth in Australian commercial nucleus pig herds. 833
- Nicholas DC See Liu A *et al.* 113
- Nicholas FW See Shariflou MR *et al.* 515
- Oates JD See Adhikari KN *et al.* 75
- O'Brien L See Lu MQ *et al.* 247. See Herring MR *et al.* 961. See Sivapalan S *et al.* 903
- Ortiz-Ferrara G See Sivapalan S *et al.* 903
- Osten VA See Walker SR *et al.* 587
- Oweis T See Zhang H *et al.* 295
- Pala M See Zhang H *et al.* 295
- Palta JA See Davies SL *et al.* 855
- Palta JA, Ludwig C Elevated CO₂ during pod filling increased seed yield but not harvest index in indeterminate narrow-leaved lupin. 279
- Panozzo JF, Eagles HA Cultivar and environmental effects on quality characters in wheat. II Protein. 629
- Parbery DG See Edwards J *et al.* 91
- Pegg GG See Sillence MN *et al.* 401
- Pegg KG See Gerlach KS *et al.* 945
- Peoples MB See McCallum M *et al.* 13. See Angus JF *et al.* 877
- Pethybridge SJ, Wilson CR, Sherriff LJ, Leggett GW, Munro D Virus incidence in Australian hop (*Humulus lupulus* L.) gardens and cultivar differences in susceptibility to infection. 685
- Phillips N See White CL *et al.* 173
- Plummer JA See Davies SL *et al.* 855
- Pluske JR See Mullan BP *et al.* 547. See Dunshea FR *et al.* 531
- Poss R See Smith CJ *et al.* 867
- Pratley J See Wu H *et al.* 937, 259
- Quigley PE Effects of *Neotyphodium lolii* infection and sowing rate of perennial ryegrass (*Lolium perenne*) on the dynamics of ryegrass/subterranean clover (*Trifolium subterraneum*) swards 47
- Ramsey MD See Davidson JA *et al.* 347
- Read BJ See Abbott DC *et al.* 355
- Rebetzke GJ See Munns RE *et al.* 69
- Rebetzke GJ, Richards RA Gibberellic acid-sensitive dwarfing genes reduce plant height to increase kernel number and grain yield of wheat. 235
- Redden RJ See Butler DG *et al.* 597. See DeLacy I *et al.* 619
- Redden RJ Analysis of line × environment interactions for yield in navy beans. 2. Pattern analysis of lines and environment within years. 607.
- Reed KFM, Leonforte A, Cunningham PJ, Walsh JR, Roberts G, Johnstone GR, Kearney GA Incidence of ryegrass endophyte (*Neotyphodium lolii*) and diversity of associated alkaloid concentrations among naturalised populations of perennial ryegrass (*Lolium perenne* L.) 569
- Rengel Z See Zhang X *et al.* 691
- Restuccia G See Mauromicale G *et al.* 579
- Revell DK See Miller FM *et al.* 793
- Reynolds GW See Miller FM *et al.* 793
- Rhind SM See Villar D *et al.* 407
- Richards RA See Rebetzke GJ *et al.* 235
- Rickert KG See Hall WB *et al.* 163
- Ridsdill-Smith TJ See Liu A *et al.* 113. See Chapman R *et al.* 361
- Riley IT See You MP *et al.* 435
- Rimington GM See Villalta ON *et al.* 97
- Robards GE See Robertson SM *et al.* 125
- Roberts G See Reed KFM *et al.* 569
- Robertson ID See Woodgate RG *et al.* 523
- Robertson MJ, Carberry PS, Lucy M Evaluation of a new cropping option using a participatory approach with on-farm monitoring and simulation: a case study of spring-sown mungbeans. 1
- Robertson SM, Robards GE, Wolfe EC The timing of nutritional restriction during reproduction influences staple strength. 125
- Rodehutsord M See White CL *et al.* 173
- Room PM See Wilson PA *et al.* 107
- Rowarth JS See Cookson WR *et al.* 287
- Royo C See Villegas D *et al.* 891
- Ru YJ, Fortune JA The effect of grazing intensity and cultivar on morphology, phenology and nutritive value of subterranean clover. II. Nutritive value during the growing season. 1047
- Ryley MJ See Wang E *et al.* 313, 457
- Ryley MJ, Kyei NA, Tatnell JR Evaluation of fungicides for the management of sclerotinia blight of peanut. 917
- Sale PWG See Lawson AR *et al.* 1039
- Sarwar M See Kirkegaard JA *et al.* 445
- Scott JM See Slack K *et al.* 555
- Shariflou MR, Moran C, Nicholas FW Association of the *Leu*¹²⁷ variant of the bovine growth hormone (bGH) gene with increased yield of milk, fat, and protein in Australian Holstein-Friesians 515
- Sherriff LJ See Pethybridge SJ *et al.* 685
- Siddique KHM See Davies SL *et al.* 855
- Sillence MN, Matthews ML, Badran TW, Pegg GG Effects of clenbuterol on growth in underfed cattle 401
- Simpson RJ See Henry DA *et al.* 823. See Ciavarella TA *et al.* 757, 749.
- Sims IM See Ciavarella TA *et al.* 749
- Sivapalan S, O'Brien L, Ortiz-Ferrara G, Hollamby GJ, Barclay I, Martin PJ An adaptation analysis of Australian and CIMMYT/ICARDA wheat germplasm in Australian production environments. 903
- Sivasithamparan K See You MP *et al.* 435
- Slack K, Fulkerson WJ, Scott JM Regrowth of prairie grass (*Bromus willdenowii* Kunth) and perennial ryegrass (*Lolium perenne* L.) in response to temperature and defoliation. 555
- Smith CJ, Dunin FX, Poss R, Angus JF Nitrogen budget of wheat in south-eastern Australia. 867
- Smith KF, Kearney GA The distribution of errors associated with genotype and environment during the prediction of the water-soluble carbohydrate concentration of perennial ryegrass cultivars using near infrared reflectance spectroscopy. 481
- Smith MK See Sukhivil N *et al.* 503
- Stuart IM See Lu MQ *et al.* 247
- Sukhivil N, Whitley AW, Smith MK, Hetherington SE Susceptibility of mango (*Mangifera indica* L.) to cold-induced photoinhibition and recovery at different temperatures. 503
- Sutherst RW, Collyer BS, Yonow T The vulnerability of Australian horticulture to the Queensland fruit fly, *Bactrocera (Dacus) tryoni*, under climate change. 467
- Swan AD See Dear BS *et al.* 267

- Tatnell JR See Ryley MJ *et al.* 917
 Taylor PA See Edwards J *et al.* 91. See Villalta ON *et al.* 97
 Thomson BD See Dracup MN *et al.* 999, 1011
 Trigg TE See Dunshea FR *et al.* 139
 Turner AD See Ayres JF *et al.* 57
 Turner DW See Davies CL *et al.* 701, 711, 721, 729
 Turner NC See Chapman R *et al.* 361. See Davies SL *et al.* 855.
 See Gibberd MR *et al.* 839
 Usher T See Butler DG *et al.* 597. See Redden R J *et al.* 607. See
 DeLacy I *et al.* 619.
 de Vega A, Gasa J, Guada JA, Castrillo C Frequency of feeding and
 form of lucerne hay as factors affecting voluntary intake, digestibil-
 ity, feeding behaviour, and marker kinetics in ewes. 801
 Villalta ON, Washington WS, Rimmington GM, Taylor PA Effects of
 temperature and leaf wetness duration on infection of pear leaves by
Venturia pirina. 97
 Villar D, McMillen SR, Dicks P, Rhind SM The roles of thyroid hor-
 mones and prolactin in the control of fibre moult and associated
 changes in hair follicle activities in cashmere goats. 407
 Villegas D, Aparicio N, Nachit MM, Araus JL, Royo C Photosynthetic
 and developmental traits associated with genotypic differences in
 durum wheat yield across the Mediterranean basin. 891
 Villegas-Pangga G, Blair GJ, Lefroy RDB Measurement of decompo-
 sition and associated nutrient release from medic (*Medicago trun-
 catula*) hay and chickpea (*Cicer arietinum*) straw using an *in vitro*
 perfusion system 563
 Wade CM See Nguyen NH *et al.* 833
 Walker SR, Barnes JE, Osten VA, Churchett JD, McCosker M Crop
 responses to sulfonylurea residues in soils of the sub-tropical grain
 region of Australia. 587
 Walsh JR See Reed KFM *et al.* 569
 Wang E, Meinke H, Ryley MJ Event frequency and severity of
 sorghum ergot in Australia. 457
 Wang E, Meinke H, Ryley MJ, Herde D, Hensell R On the relation
 between weather variables and sorghum ergot infection. 313
 Warner RD See D'Souza DN *et al.* 185
 Washington WS See Villalta ON *et al.* 97
 Wheeler RD See Jefferies SP *et al.* 955
 Whitley AW See Sukhvir N *et al.* 503
 White CL, Young P, Phillips N, Rodehutsord M The effect of dietary
 protein source and protected methionine (Lactet) on wool growth
 and microbial protein synthesis in Merino wethers. 173
 Wilson CR See Pethybridge SJ *et al.* 685
 Wilson PA, Room PM, Zalucki MP, Chakraborty S Interaction
 between *Helicoverpa armigera* and *Colleotrichum gloesporioides*
 on the tropical pasture legume *Stylosanthes scabra*. 107
 Wolfe EC See Robertson SM *et al.* 125. See Dear BS *et al.* 267
 Wong PTW See Kirkegaard JA *et al.* 445
 Woodgate RG, Chapman HM, Robertson ID, Bell KJ Summer-autumn
 rainfall and wool staple strength and position of break. Part I. Small
 scale field simulations of rainfall onto sheep grazing dry pasture in
 February and April. 523
 Wu H, Pratley J, Lemerle D, Haig T Laboratory screening for allelo-
 pathic potential of wheat (*Triticum aestivum*) accessions against
 annual ryegrass (*Lolium rigidum*) 259. Evaluation of seedling
 allelopathy in 453 wheat (*Triticum aestivum*) accessions against
 annual ryegrass (*Lolium rigidum*) by equal-compartment-agar-
 method. 937
 Xanthopoulos FP, Kechagia UE Natural crossing in cotton (*Gossypium*
hirsutum L.) 979
 Yeates SJ, Lawn RJ, Adkins SW Predicting weather damage of mung-
 bean seed in tropical Australia. I. Relation between seed quality,
 weather and reproductive development. 637. II. Model applica-
 tion. 649
 Yonow T See Sutherst RW *et al.* 467
 You MP, Sivasithamparam K, Riley IT, Barbet MJ The occurrence of
 root infecting fungi and parasitic nematodes in annual *Medicago*
 spp. in Western Australian pastures. 435
 Young P See White CL *et al.* 173
 Zalucki MP See Wilson PA *et al.* 107
 Zencirci N See Koc M *et al.* 665
 Zhang H, Pala M, Harris HC, Oweis T Water use and water-use effi-
 ciency of chickpea and lentil in a Mediterranean environment 295
 Zhang X, Rengel Z Role of soil pH, Ca supply and banded P fertilis-
 ers in mediating ammonia toxicity to wheat. 691